| Recording:         | 00:02 | Welcome. You're listening to a series of four familial<br>hypocholesterolemia podcasts, brought to you by the American<br>Heart Association, and the FH Foundation. This series is focused<br>on educating patients, caregivers, and health care providers on<br>ways to improve awareness, detection of FH, and management<br>of high cholesterol.   |
|--------------------|-------|---|
| Katherine Wilemon: | 00:23 | Hi everyone. My name is Katherine Wilemon, I'm the founder<br>and CEO of the FH Foundation. I also have familial<br>hypocholesterolemia. Today, in our third podcast, it'll be all<br>about children and familial hypocholesterolemia. Joining me is<br>Dr. Samuel Gidding, who is a pediatric cardiologist and the Chief<br>Medical Officer of the FH Foundation. Thank you Dr. Gidding for<br>joining us for this discussion on children and FH.  |
| Dr. S. Gidding:    | 00:54 | It's a pleasure to be here, Katherine.  |
| Katherine Wilemon: | 00:58 | Before we get started, could you briefly tell our listeners what familial hypocholesterolemia is?   |
| Dr. S. Gidding:    | 01:07 | Familial hypocholesterolemia is a genetic condition where the<br>gene for FH causes very high cholesterol. Cholesterol that is so<br>high and it's not related to diet or being overweight. Familial<br>hypocholesterolemia is present in about one and 200 to 250<br>individuals in the United States, and it's underdiagnosed, was<br>underdiagnosed and undertreated.  |
| Katherine Wilemon: | 01:37 | One in 250 people, that's quite a bit. Is it considered a rare condition?   |
| Dr. S. Gidding:    | 01:46 | Historically, it's been considered rare because it was thought to<br>be present in about one and 500. But now, it's the most<br>common genetic condition that causes early death. The early<br>death is from a heart attack, which can occur in middle age or<br>even younger, in people who are effected. The problem with FH<br>is that there's no symptoms. As opposed to other genetic<br>conditions, like marfan or sickle cell, or cystic fibrosis. They're<br>not easily recognizable, FH is not easily recognizable based on<br>symptoms. |
| Katherine Wilemon: | 02:25 | Are there other causes, Dr. Gidding, for high cholesterol in children?  |
| Dr. S. Gidding:    | 02:33 | Genetic causes at the level of FH are far and away the most<br>common. The second most common is diet. People always<br>associate obesity with high cholesterol, but in fact, obesity does<br>not cause as severe elevation in cholesterol that FH does. The  |

|                    |       | lipid problems in FH relate to other fats in the blood, as well as cholesterol.   |
|--------------------|-------|---|
| Katherine Wilemon: | 02:58 | When we're talking about these high levels of cholesterol in<br>children that don't have anything to do with being overweight,<br>what kinds of levels are we talking about? What does high<br>cholesterol in children look like?   |
| Dr. S. Gidding:    | 03:11 | Typically, the cholesterol, the LDL cholesterol, the bad<br>cholesterol would be over 190, where total cholesterol over<br>250. To put this in perspective, the average cholesterol in a child<br>in the United States is about 90 to 100, so it's about twice as<br>high. Children with familial hypocholesterolemia also can have<br>cholesterol levels over 160. The current guidelines for<br>pediatricians, is that a high cholesterol level is over 130 for LDL,<br>or 200 for cholesterol. The current guidelines will capture<br>children in the United States with familial hypocholesterolemia.   |
| Katherine Wilemon: | 03:52 | I have two children and one of them has FH, but I actually had<br>to ask for my children to have their cholesterol levels tested. As<br>a pediatric cardiologist, do you think that most children are<br>being screened as the guidelines recommend for high<br>cholesterol?  |
| Dr. S. Gidding:    | 04:15 | The universal screening guideline was published in 2011, and at<br>that point less than 10% of pediatricians were screening all<br>children at age nine to 11. Now, the uptake of that has<br>improved, and we believe that the percent of children who are<br>having their cholesterol tested between nine and 11 is<br>increasing a lot. It's probably still less than half. It's important to<br>know, however, that in your situation, where you have genetic<br>high cholesterol, pediatricians should be checking your children<br>over the age of two years. If it's known that a family has early<br>heart attacks, or very high cholesterol, the cholesterol can be<br>checked anytime after the age of two years. |
| Katherine Wilemon: | 04:59 | FH is a genetic disorder where individuals, including children,<br>have very high cholesterol. What do parents with FH, like<br>myself, need to know about how to get their children screened?  |
| Dr. S. Gidding:    | 05:17 | Sure. I think that the most important and first thing that parents<br>need to know, is that recognizing FH is important because early<br>treatment prevents heart attacks. We now know that if you<br>begin treatment in teenage years, or over the age of 10 or eight,<br>which is recommended, that your likelihood of having one of<br>these early heart attacks goes down precipitously, as much as<br>75%. Parents should want the cholesterol in their children   |

|                    |       | tested to look for FH. Hopefully, the pediatrician will be doing it<br>at the recommended age, which is nine to 11. However, just as<br>you did, parents who know they have FH should insist that their<br>children have their cholesterol checked.   |
|--------------------|-------|---|
| Katherine Wilemon: | 06:09 | You and I know that FH is actually highly under diagnosed, but<br>what should make families suspect that they might have FH and<br>need to have themselves and their children screened?   |
| Dr. S. Gidding:    | 06:23 | The most important things for parents, are knowing their own<br>cholesterol and knowing their family history of heart disease. If<br>there's early heart attacks in a lot of family member, or your<br>cholesterol is in the FH range, you should definitely have your<br>child tested. Those would be the most important things.   |
| Katherine Wilemon: | 06:44 | It's always a serious consideration if you find out that your child<br>does in fact have a disorder, and I can tell you as a parent, it's<br>even hard to realize that you might be the one who has given<br>that to them. But there's also another tough decision, parents<br>don't want to give medicine to their children that isn't<br>absolutely necessary. We hear from many families at the FH<br>Foundation that they struggle with what to do if their child has<br>FH. When to treat them, what medications are appropriate.<br>Could you share with us the safety and reasons for treatment?<br>What do we know about treating FH in children?   |
| Dr. S. Gidding:    | 07:29 | Sure. I think starting at the beginning, any parent who has FH<br>has a 50% of their child having FH. When a parent goes to the<br>doctor about half will be effected, and half will not. It's always<br>very reassuring to find your child does not have high<br>cholesterol. Once the high cholesterol is identified, we<br>recommend beginning treatment at age eight to 10, and the<br>reason for that, is that's about the age when you can tell that<br>the early atherosclerosis is beginning to build up. There's<br>studies which compare the blood vessel thickness of children<br>with FH with their brothers and sisters, and those studies show<br>that beginning at about age 10 or so, that's when you can see a<br>difference in the thickness of the blood vessels. That's why we<br>recommend beginning treatment about age 10. |
| Dr. S. Gidding:    | 08:21 | With statin treatment, which is far and away the most effective,<br>we know that we can essentially bring the cholesterol levels<br>down to the high normal range for United States children.<br>Parents do have a lot of fears about life long medication, but<br>the realities are for statin use in children, that the doses are<br>much lower than you would use in adults. That's one important<br>fact, and the second thing is, there have been many studies and   |

|                    |       | randomized trials of statins in children and what's been<br>observed is actually the side effect profiles are much lower than<br>the side effect profiles in adults, particularly those over age 55<br>or 60 years.  |
|--------------------|-------|--|
| Katherine Wilemon: | 09:07 | There is data from other countries showing that, in fact, it is<br>safe to give children with this genetic condition statins from an<br>early age, you said eight to 10 years old? And that it does<br>reduce significantly their chances of having an early heart attack<br>or very aggressive heart disease?   |
| Dr. S. Gidding:    | 09:32 | Sure. Now we have data from over 20 years of follow up in<br>children who've started on statins in adolescents, back in the<br>90s. There's now emerging data from large United States<br>registries and other case series, that there's very little toxicity of<br>statins. In fact, it's unclear if a case of diabetes has ever been<br>reported, for example, in a child on statins and they don't have<br>the muscle pain or other side effects typically experienced by<br>adults.  |
| Katherine Wilemon: | 10:07 | What kind of doctor, if someone's child has FH, should they be seeing to manage this genetic condition?  |
| Dr. S. Gidding:    | 10:16 | Most importantly it's a doctor who has an interest in cholesterol<br>or blood lipids. In the United States, right now, cardiologists, or<br>some cardiologists with reasonable experience, some<br>endocrinologists, some gastroenterologists, and there are some<br>primary care physicians, actually, who have taken an interest in<br>this disorder. I think the most important thing to consider is<br>whether your doctor has experience managing FH, understands<br>the condition and knows the treatment recommendations. |
| Katherine Wilemon: | 10:50 | The FH Foundation has an FH specialist map, and it is our<br>number one resource that people come to because, as you said,<br>it's not a single specialty of physicians, but actually there can be<br>a variety of types of physicians who are well versed in FH. The<br>same is true for treating children.   |
| Dr. S. Gidding:    | 11:14 | I'm the leader of a very large, or a co-leader of a very large<br>group of pediatricians who are lipid specialists across the<br>country. I think we have over 90 people across the United States<br>who are very interested in the care of familial<br>hypocholesterolemia.   |
| Katherine Wilemon: | 11:32 | How do you explain this to a child? Unlike Type I Diabetes, FH is about as common as Type I Diabetes, but there aren't symptoms, and to get a child to start taking medication and to  |

take it every day for the remainder of their lives, how have you done that successfully as a pediatric cardiologist?

| Dr. S. Gidding:    | 11:54 | I think the important thing to remember about FH is it's really a<br>familial condition. Most of the time within the family, many<br>people are actually wrestling with FH, taking statins, and things<br>like that. I think the first step is to bring the child's experience<br>into the context of the family's experience. One of the things we<br>found particularly in families where there's been a lot of early<br>heart attacks, is the parents actually feel safer when their child<br>is taking the medication. Also, explaining how atherosclerosis<br>develops and why it's asymptomatic is important. Another key<br>thing that I like to emphasize, is that really the genetics create a<br>condition of very high LDL cholesterol, and that's a risk factor.<br>It's the heart attack that's a disease, and if you don't want to<br>have a heart attack, starting treatment very early in life, will<br>give you life long lower cholesterol and dramatically reduce the<br>likelihood of having a heart attack. |
|--------------------|-------|--|
| Dr. S. Gidding:    | 12:56 | These are the key explaining factors, sometimes we do it over<br>several visits, so I don't necessarily start medication the first<br>time I see the child, but give the family time to talk about it.<br>Genetics counselors often can provide useful information and<br>we also have psychological resources. Really the purpose of the<br>psychological resources isn't so much to get the kid to take a<br>medicine, to understand the full family and many of the issues<br>that could be going on within the family, with regard to an<br>inherited condition dealing with heart disease, dealing with<br>financial issues. There's a pretty broad range of family bases<br>issues that need to be covered in FH. Unfortunately, in the US<br>Healthcare system, our care is very fractured and it's very hard<br>to provide these engraved family resources. I think that's the<br>biggest problem.   |
| Katherine Wilemon: | 13:59 | One of the things that we do at the FH Foundation is actually<br>connect families who might be in a similar place, and we have<br>found that just like the American Heart Association, I'm sure<br>does, that community also plays an important role and if you're<br>living with a life long condition, you're a different patient at<br>different times. I think having the entire family involved, and<br>the larger community, can be very supportive.   |
| Dr. S. Gidding:    | 14:33 | Another thing is to deliver a positive message so that, we're at<br>an interesting place in history with regard to familial<br>hypocholesterolemia. Right now, for adults, having the FH gene<br>triples your risk of having a heart attack at any level of<br>cholesterol. However, we now have a tremendous opportunity  |

|                    |       | through Cascade screening and genetic screening, to identify<br>everyone in the US, or most everyone with FH, and if those<br>individuals start on early treatment, people with FH may end up<br>having less heart attacks than the rest of the population. We're<br>in, I think a 20 to 30 year window of opportunity to go forward.   |
|--------------------|-------|---|
| Dr. S. Gidding:    | 15:15 | Another key thing that I've realized that we haven't discussed,<br>and what's very common in my practice, is a pediatrician will<br>screen a child with high cholesterol, find out they might have<br>FH, we in fact diagnose FH and then test the parents and find<br>out that there's a parent with FH as well, who's not receiving<br>treatment. Another key advantage of identifying children is if<br>their parents haven't been checked to find those parents who<br>are also under treated. In fact, its been shown that for about<br>every child you find with FH, you find one parent whose not<br>treated. Sometimes screening a child for FH actually identifies<br>two people, not one.   |
| Katherine Wilemon: | 15:59 | That's what we always say. You never find an individual with FH,<br>you always find a family. It truly is a family condition, and as you<br>said, I think that's one of the things also, its been a huge burden<br>to these families, but can be a blessing that you can help an<br>entire family change their health and their future, if they're<br>identified and managed early. It's genetic, it requires<br>medication, but what about diet and lifestyle?   |
| Dr. S. Gidding:    | 16:31 | Diet is actually really important. Though diet can't lower your<br>cholesterol as much as a statin, it can have a big impact. It can<br>lower your cholesterol as much as 10%, which is a 25% risk<br>reduction. There's been some recent genetic studies, which<br>have looked at the relationship of diet and changes in lipids to<br>the presence of genes that raise your cholesterol and what's<br>been shown, is there's actually a bigger impact of diet if you<br>have a high cholesterol. There's this gene environment<br>interaction. Another thing to remember, is that risk is relative. If<br>you have FH, you have a very high risk of having a heart attack,<br>and if you drop your risk by 25%, that actually is a huge<br>reduction. |
| Dr. S. Gidding:    | 17:20 | If you have low cholesterol and have very low risk of having a<br>heart attack, doing a good diet and lowering your risk by 25%,<br>doesn't have nearly as big an impact on heart attack rates.<br>Another key thing to remember is the mechanism of lowering<br>cholesterol through diet, actually helps statins work because it<br>takes away another source of cholesterol from the liver, and the<br>liver will then be forced to reach out and draw more cholesterol<br>from the blood, and that's the way statins work, is taking the   |

|                    |       | livers residual ability to get cholesterol from the blood and putting it into overdrive. Diet and statins are actually more effective together than separately.  |
|--------------------|-------|--|
| Katherine Wilemon: | 18:08 | How does the future look for children living with FH?  |
| Dr. S. Gidding:    | 18:14 | I think the future can be extremely bright. I think that<br>essentially high LDL cholesterol, which you see in FH, is a risk<br>factor. That risk factor can be obliterated, you can have a<br>normal life expectancy. When I started in this field about 30 or<br>35 years ago, I thought that if I could my prevention patients to<br>age 60, it was somebody's problem. Meeting people with FH, I<br>don't think they ever want to have a heart attack, and I think<br>that's the goal we ought to be looking towards, and I believe it's<br>achievable.  |
| Katherine Wilemon: | 18:53 | The first thing we have to do is find them though, right? The biggest barrier to-  |
| Dr. S. Gidding:    | 18:56 | That's for sure. That's for sure. If you have it, and you don't know you have it, you're behind the eight ball.  |
| Katherine Wilemon: | 19:02 | Right. And that's why screening is so important, and like you<br>said, hopefully if you find either a parent or a child first, you can<br>find the rest of the family and help them. Well, I can't thank you<br>enough for all the amazing information that you've been able to<br>share with us today, Dr. Gidding. Thank you. In case you missed<br>any of what we discussed on this podcast today, please visit the<br>FH Foundation at thefhfoundation.org, and the American Heart<br>Association at heart.org/cholesterol. Thanks again for listening,<br>and keep your ears open for the fourth podcast in this series<br>about managing familial hypocholesterolemia. |
| Recording:         | 19:48 | Views expressed in this podcast do not necessarily reflect the<br>official policy or position of the American Heart Association, and<br>American Stroke Association. For transcripts of this podcast and<br>more information about cholesterol, please visit<br>heart.org/cholesterol, or engage with us via social media using<br>the hashtag understand cholesterol.   |